

PLETT

WASH PRODUCTS

**Industrial
Pressure Washers**

Cold Water

Electric Powered, Stationary

CLASS 10


This stationary electric motor powered pressure washer is designed for the rugged job. Our 10 HP units are meant for jobs requiring either 1 or 2 gun continuous operation.

The stationary design is often used alongside stationary water heaters on job sites where you need to span a great distance.

All of our units are designed with Cat Pumps and stainless steel frames making it perfect for any industry.

ELECTRIC MOTOR
FOR 1PH OR 3PH
APPLICATIONS

CAT 56 BELT DRIVE
PUMP FOR ANY JOB



Specifications

Electrical Requirements	(1PH,240V)(3PH,208V) (3PH,600V)
Pump Oil	Cat Pump Oil
GPM	3.5-8
PSI	1200-3000
Drive Type	Belt
HP	5-10

This commercial pressure washer is designed for emission free locations that require long wash time capabilities. Works well for barns, workshops, manufacturing, transportation and all other indoor washing applications.

Limited Warranties

- 5 year Cat Pump
- 2 year Electric Motor
- Lifetime frame

Cold Water


Electric Powered, Portable

CLASS 10

This portable electric motor powered pressure washer is designed for the rugged job. Equipped with an accumulator, this machine is made for long life.

The 30 ft. power cord lets you move the machine closer to your job while providing emission free work.

All of our units are designed with Cat Pumps and stainless steel frames making it perfect for any industry.



Specifications

Electrical Requirements	1Ph, 240VAC, 31-39Amps
Pump Oil	Cat Pump Oil
GPM	4-7
PSI	2000-3000
Drive Type	Belt
HP	7.5-10

This commercial pressure washer is designed for emission free locations that require long wash time capabilities. Works well for barns, workshops, manufacturing, transportation and all other indoor washing applications.

Limited Warranties

- 5 year Cat Pump
- 2 year Electric Motor
- Lifetime frame

Cold Water

Electric Powered

CLASS 10

TECHNICAL DATA

PORTABLE

STATIONARY

Product No.	Style	GPM	PSI	Drive	HP	Electrical	Amps	Control	Controller Type	Pump	Motor RPM
110.01.07220C	Portable	5	2000	Belt	7.5	240VAC/ 1Ph	31	CW	Dual Timer	Cat	1800
110.01.07228C	Portable	3.8	2800	Belt	7.5	240VAC/ 1Ph	31	CW	Dual Timer	Cat	1800
110.01.10220	Portable	8	2000	Belt	10	240VAC/ 1PH	39	WO		Cat	1800
110.01.10220C	Portable	8	2000	Belt	10	240VAC/ 1PH	39	CW	Dual Timer	Cat	1800
110.01.10228	Portable	4.9	2800	Belt	10	240VAC/ 1PH	39	WO		Cat	1800
110.01.10228C	Portable	4.9	2800	Belt	10	240VAC/ 1PH	39	CW	Dual Timer	Cat	1800
110.01.10828	Portable	4.9	2800	Belt	10	208VAC/ 3Ph	26.9	WO		Cat	1800
110.01.10828C	Portable	4.9	2800	Belt	10	208VAC/ 3Ph	26.9	CW	Dual Timer	Cat	1800
110.02.05818	Stationary	4	1800	Belt	5	208VAC/ 3Ph	14.3	WO		Cat	1800
110.02.07230	Stationary	4	3000	Belt	7.5	240VAC/ 1Ph	30	WO		Cat	1800
110.02.07230C	Stationary	3.8	3000	Belt	7.5	240VAC/ 1Ph	30	CW	Dual Timer	Cat	1800
110.02.10220C	Stationary	8	2000	Belt	10	240VAC/ 1Ph	39	CW	Dual Timer	Cat	1800
110.02.10228	Stationary	4.9	2800	Belt	10	240VAC/ 1Ph	39	WO		Cat	1800
110.02.10228C	Stationary	4.9	2800	Belt	10	240VAC/ 1Ph	39	CW	Dual Timer	Cat	1800
110.02.10620C	Stationary	8	2000	Belt	10	600VAC/ 3Ph	9.9	CW	Dual Timer	Cat	1800
110.02.10620V	Stationary	8	2000	Belt	10	600VAC/ 3Ph	9.9	CW	Constant Pressure	Cat	1800
110.02.10628	Stationary	4.9	2800	Belt	10	600VAC/ 3Ph	9.9	WO		Cat	1800
110.02.10628C	Stationary	4.9	2800	Belt	10	600VAC/ 3Ph	9.9	CW	Dual Timer	Cat	1800
110.02.10820	Stationary	8	2000	Belt	10	208VAC/ 3Ph	26.9	WO			1800
110.02.10820C	Stationary	8	2000	Belt	10	208VAC/ 3Ph	26.9	CW	Dual Timer	Cat	1800
110.02.10820V	Stationary	8	2000	Belt	10	208VAC/ 3Ph	26.9	CW	Constant Pressure	Cat	1800
110.02.10828	Stationary	4.9	2800	Belt	10	208VAC/ 3Ph	26.9	WO		Cat	1800
110.02.10828C	Stationary	4.9	2800	Belt	10	208VAC/ 3Ph	26.9	CW	Dual Timer	Cat	1800



Cold Water


Electric Powered, Stationary

CLASS 20

This stationary electric motor powered pressure washer is designed for industry. Our 20 HP units are meant for jobs requiring 10GPM @ 3,000PSI. 3PH, 208V or 600V required.

The stationary design is often used alongside stationary water heaters on job sites where you need to span a great distance.

All of our units are designed with Cat Pumps and stainless steel frames making it perfect for any industry.



Specifications

Electrical Requirements	3Ph, 208/600VAC, 13-48Amps
Pump Oil	Cat Pump Oil
GPM	10
PSI	2000-3000
Drive Type	Belt
HP	20

This commercial pressure washer is designed for emission free locations that require long wash time capabilities. Works well for barns, workshops, manufacturing, transportation and all other indoor washing applications.

Limited Warranties

- 5 year Cat Pump
- 2 year Electric Motor
- Lifetime frame

Cold Water

Electric Powered

CLASS 20

TECHNICAL DATA

Product No.	Stationary/Portable	GPM	PSI	Drive	HP	Electrical	Amps	Control	Controller Type	Pump
120.02.15220V	Stationary	10	2000	Belt	15	240VAC/ 1Ph	59	CW	Constant Pressure	Cat
120.02.15618V	Stationary	12.3	1800	Belt	15	600VAC/ 3Ph	13.8	CW	Constant Pressure	Cat
120.02.15620V	Stationary	10	2000	Belt	15	600VAC/ 3Ph	13.8	CW	Constant Pressure	Cat
120.02.15820V	Stationary	10	2000	Belt	15	208VAC/ 3Ph	35.6	CW	Constant Pressure	Cat
120.02.20228V	Stationary	10	2800	Belt	20	240VAC/ 1Ph	100	CW	Constant Pressure	Cat
120.02.20625V	Stationary	12	2500	Belt	20	600VAC/ 3Ph	20	CW	Constant Pressure	Cat
120.02.20628	Stationary	10	2800	Belt	20	600VAC/ 3Ph	20	WO		Cat
120.02.20628C	Stationary	10	2800	Belt	20	600VAC/ 3Ph	20	CW	Dual Timer	Cat
120.02.20628V	Stationary	10	2800	Belt	20	600VAC/ 3Ph	19	CW	Constant Pressure	Cat
120.02.20635V	Stationary	10	3500	Belt	20	600VAC/ 3Ph	19	CW	Constant Pressure	Cat
120.02.20828V	Stationary	10	2800	Belt	20	208VAC/ 3Ph	48	CW	Constant Pressure	Cat



Cold Water

Electric Powered

Our 30 HP units are designed for jobs requiring 15-20GPM @ 3,000PSI. 3PH, 600V is required.

This pressure washer is used when 3-4 guns at a time is required. Able to configure the machine to customer needs makes the Plett brand top of the line.




All of our units are designed with Cat Pumps and stainless steel frames making it perfect for any industry.

CAT PUMP FOR LONG LIFE

ELECTRIC MOTOR FOR EXHAUST FREE OPERATION

SUPPLY TYPE EITHER FLOODED OR DIRECT

STAINLESS FRAME FOR WORRY FREE DURABILITY



Cold Water

Electric Powered

CLASS 50


Our 50 HP units are designed for large jobs requiring 25-36GPM @ 3,000PSI. 3PH, 208V or 600V is required.

This pressure washer is used in large farming or manufacturing facilities. The class 50 unit allows for up to 6 guns to be operating at the same time.

All of our units are designed with Cat Pumps and stainless steel frames making it perfect for any industry.

CAT PUMP FOR LONG LIFE

ELECTRIC MOTOR FOR EXHAUST FREE OPERATION



SUPPLY TYPE EITHER FLOODED OR DIRECT

STAINLESS FRAME FOR WORRY FREE DURABILITY



Cold Water

Electric Powered

CLASS 30

TECHNICAL DATA

Product No.	Stationary/Portable	GPM	PSI	Drive	HP	Electrical	Amps	Control	Controller Type	Pump
130.02.20620V	Stationary	15	2000	Belt	20	600VAC/ 3Ph	20	CW	Constant Pressure	Cat
130.02.20625V	Stationary	12	2500	Belt	20	600VAC/ 3Ph	20	CW	Constant Pressure	Cat
130.02.25618V	Stationary	15	1800	Belt	25	600VAC/ 3Ph	25	CW	Constant Pressure	Cat
130.02.30520V	Stationary	20	2000	Belt	30	600VAC/ 3Ph	30	CW	Constant Pressure	Cat
130.02.30622V	Stationary	20	2200	Belt	30	600VAC/ 3Ph	30	CW	Constant Pressure	Cat
130.02.30628V	Stationary	15	2800	Belt	30	600VAC/ 3Ph	30	CW	Constant Pressure	Cat

CLASS 50

TECHNICAL DATA

Product No.	Stationary/Portable	GPM	PSI	Drive	HP	Electrical	Amps	Control	Controller Type	Pump
150.02.50620V	Stationary	36	2000	Belt	50	600VAC/ 3Ph	50	CW	Constant Pressure	Hawk
150.02.50628V	Stationary	25	3000	Belt	50	600VAC/ 3Ph	50	CW	Constant Pressure	Cat
150.02.50828V	Stationary	25	3000	Belt	50	208VAC/ 3Ph	116	CW	Constant Pressure	Cat

Cold Water

Gas Powered, Skid

CLASS SKID


This skid pressure washer is designed to pack a punch. With a more compact design than competing skid units, this pressure washer can be thrown on any trailer or truck box.

When working with Plett Wash Products, we can design units to fit to what you need. With design in house there are always more options.

All of our units have Cat Pumps and stainless steel frames making it perfect for any industry.



TECHNICAL DATA								
Product No.	Stationary/ Portable	GPM	PSI	Drive	HP	Engine	Start	Pump
121.02.10G30SK	Portable Skid	8	3000	Belt	24	iGX700	Electric	Cat
121.02.20G30SK	Portable Skid	10	3000	Belt	24	iGX700	Electric	Cat



Cold Water


Direct Drive, Electric

CLASS

5

DIRECT DRIVE
MOTORS FOR THE
SMALLER JOBS

HIGH PRESSURE
STAINLESS STEEL
SOLENOID



CAT PUMP CHOSEN
FOR LONG LIFE

STAINLESS STEEL
FRAME FOR EITHER
STATIONARY OR
PORTABLE UNITS

Specifications

Electrical Requirements	(1PH, 120/240V) (3PH, 208/600V)
Pump Oil	Cat Pump Oil
GPM	2.2-6
PSI	1000-3000
Drive Type	Direct
HP	2-5

This commercial pressure washer is designed for emission free locations that require long wash time capabilities. Works well for barns, workshops, manufacturing, transportation and all other indoor washing applications.

Limited Warranties

- 5 year Cat Pump
- 2 year Electric Motor
- Lifetime frame

Cold Water



Direct Drive, Electric

CLASS 5

TECHNICAL DATA										
Product No.	Stationary/Portable	GPM	PSI	Drive	HP	Electrical	Amps	Control	Controller Type	Pump
1D5.01.02110	Portable	2.7	1000	Direct	2	120VAC, 1PH	20	WO		Cat
1D5.01.05215	Portable	3.5	1500	Direct	5	240VAC, 1PH	23	WO		Cat
1D5.01.05220C	Portable	3.5	2000	Direct	5	240VAC, 1PH	24	CW	Dual Time Out	Cat
1D5.01.05228B	Portable	3	2800	Direct	5	240VAC, 1PH	24	CW	On/Off	Cat
1D5.01.05228C	Portable	3	2800	Direct	5	240VAC, 1PH	24	CW	Dual Time Out	Cat
1D5.02.02213B	Stationary	2.2	1300	Direct	2	240VAC, 1PH		CW	On/Off	Cat
1D5.02.02613B	Stationary	2.2	1300	Direct	2	600VAC, 3PH	1.98	CW	On/Off	Cat
1D5.02.02813B	Stationary	2.2	1300	Direct	2	208VAC, 3PH	4.94	CW	On/Off	Cat
1D5.02.03212V	Stationary	3.5	1200	Direct	3	240VAC, 1PH	2.81	CW	Constant Pressure	Cat
1D5.02.05212V	Stationary	6	1200	Direct	5	240VAC, 1PH	2.81	CW	Constant Pressure	Cat
1D5.02.05218	Stationary	4	1800	Direct	5	240VAC, 1PH	24	WO		Cat
1D5.02.05218C	Stationary	4	1800	Direct	5	240VAC, 1PH	24	CW	Dual Time Out	Cat
1D5.02.05230B	Stationary	3	3000	Direct	5	240VAC, 1PH	24	CW	On/Off	Cat
1D5.02.05230C	Stationary	3	3000	Direct	5	240VAC, 1PH	24	CW	Dual Time Out	Cat
1D5.02.05818	Stationary	4	1800	Direct	5	208VAC, 3PH	12.9	WO		Cat

PORTABLE

STATIONARY



Misting Package

Compact, Effective


CLASS MIST

VFD ALLOWS FOR
VERSATILE INSTALL,
NEMA 4

HIGH PRESSURE
STAINLESS STEEL
SOLENOID

DIRECT DRIVE
ELECTRIC MOTOR

CAT PUMP CHOSEN
FOR LONG LIFE



This misting system is designed as a plug and play option. When you buy one of our units we will program the VFD to your specific need so that you can order it, install it, and be on your way.

Limited Warranties

- 5 year Cat Pump
- 2 year Electric Motor
- Lifetime frame

TECHNICAL DATA

Product No.	Stationary/Portable	GPM	PSI	Drive	HP	Electrical	Control	Controller Type	Pump
1D5.02.05210VM	Stationary	6.4	1000	Direct	5	240VAC/ 1PH in, 3PH out	CW	Constant Pressure	Cat

Misting Package

Accessories

CLASS MIST



CROSS CONNECTOR

PART# SXA6-B



STRAIGHT CONNECTOR

PART# SUA6-B



TUBE X 1/4" MALE
THREAD CONNECTOR

PART# SMC64-B



END PLUG

PART# SCAP6-B



TEE CONNECTOR

PART# STA6-B



MISTING NOZZLE

PART# B0917JY25X



Product Photos





PFP Sales and Service
32084, PTH 311,
Blumenort MB
Phone (204) 326-2939
Email info@pfpsales.ca
Website www.pfpsales.ca